


TWI146-S-60(2x50)(360) - SPEEDLINE System Data Sheet - Version V1 (24-10-23)

Twin SPEEDLINE 146mm 'I' Stud Partition @600mm Ctrs, with 2x Siniat GTEC 15mm dB Board each side, 50+50mm APR



System Performance Breakdown

Fire Resistance:

BS476 Part 22:1987:

Test Ref & Date or Applied Ref & Report:

Max Height:

Thickness:

Duty Grade: BS 5234: Part 2:1992:

Sound Insulation:

90/90 Minutes (Integrity/Insulation).


BRE-P100456-1085 - BRE Report P102396-1011C


Refer to Speedline Specification Clause

360 mm. (At Base Track, Excluding Finishes)

Severe - Annexes A-F

69 RwdB, -8CtrDate Tested or Assessed Against - TWI50-S-60(2x50)(200)





TESTED AT ONE OF THE UKAS ACCREDITED LABORATORIES BELOW

B.T.C (H-Ref on Graph)

B.R.E

AIRO

S.R.L

DEPTITE OF THE UKAS ACCREDITED LABORATORIES BELOW

B.T.C (H-Ref on Graph)

DEPTITE OF THE UKAS ACCREDITED LABORATORIES BELOW

B.T.C (H-Ref on Graph)

DEPTITE OF THE UKAS ACCREDITED LABORATORIES BELOW

B.T.C (H-Ref on Graph)

S.R.E (H-Ref on Graph)

DEPTITED LABORATORIES BELOW

DEPTITED LABOR



Customer: Metsec plc Hepsec Division

BTC 18508A: Page 9 of 12

SPEEDLINE Drywall Systems, Adsetts House, 16 Europa View, Sheffield Business Park, Sheffield, S9 1XH. Tel: 0114 231 8030.

Email: enquiries@speedlinedrywall.co.uk