| Board Thickness Speedline Drywall Fixing Length | | | | |
|---|---|----------------------|---|---|
| 12.5mm & 15mm 25mm | | | | |
| 12.5mm + 12.5mm 25mm + 38mm | | | | |
| 12.5mm + 15mm 25mm + 42mm | | | | |
| 15mm + 15mm 25mm + 42mm | | | | |
| | | | 50mm APR | Studs at 600mm Ctrs Im Gyproc WallBoard fixed with SPEEDLINE m centres (200mm centres at external fixing length. |
| | | | | |
| Design Data: Detail may not replicate a laboratory tested configuration and for this reason approval from the | CDR No:IWL50-B-57(50) | DATE: 01/08/24 | | |
| relevant authority and Principal Designer should be sought. Detail based on construction with materials & components as shown. The inclusion or | INDEPENDENT 'I' STUD LINING | | | |
| substitution of any other manufacturers materials or components must be given in writing by SIG PLC. | | | 16 Europa View, Sheffield Business Park, | PEEDLINE |
| This information is provided in good faith and is based upon details received which are assumed to include all relevant facts. We accept no liability for its accuracy, adequacy or completeness. Recipients must satisfy | | | Sheffield, | |
| themselves as to its suitability as we do not accept responsibility for any claims or consequential loss. | | | S9 1XH. | DRYWALL SYSTEMS Part of SSF plc |
| Acceptance of the content and subsequent design responsibility rests entirely with the recipients who should then produce accepted details on their own company documentation. | Details to be read in conjunction with project spec | ification guidelines | T: 0114 231 8030 E: enguiries@speedlinedrywall.co.uk | |
| The second decored decored decore of all own company documentation. | | | E. S. quinos C. sposumour ymun.co.uk | |